

[illegible]



DATE

## REMARKS

19

Enter here general data with reference to "Line" and "Periodic" inspections — Rigging Changes — Alterations — Repairs — and changes in propeller or engine — as outlined in the front of this book, under the heading, "INSTRUCTIONS FOR USE OF THIS LOG BOOK."  
ALL DATA must bear the endorsement of a certificated mechanic, and his rating and certificate number must be shown.

INSPECTION DATE 4-6-62 I certify that this aircraft has been inspected in accordance with a periodic inspection and was determined to be in airworthy condition. Total time to date 630 hrs. Tack time 630 hrs. All AD Notes thru \_\_\_\_\_ checked or compiled with. Form ACA 2350 executed ☒ was not executed ☐. See W. O. # 572 for parts list and description of work performed.

RICHLAND AVIATION, INC., MUNICIPAL AIRPORT  
MANSFIELD, OHIO, FAA APPROVED REPAIR STATION #1054.

Paul Trout Sr. Insp.  
Authorized Signature



[illegible]



DATE

## REMARKS

Enter here general data with reference to "Line" and "Periodic" inspections — Rigging Changes — Alterations — Repairs — and changes in propeller or engine — as outlined in the front of this book, under the heading, "INSTRUCTIONS FOR USE OF THIS LOG BOOK."  
ALL DATA must bear the endorsement of a certificated mechanic, and his rating and certificate number must be shown.

19

4/8/63 I certify that this aircraft has been thoroughly inspected in accordance with a periodic inspection and found to be air worthy  
tack 697.7 lbs total 697.7 lbs Pilot Downman 191134612

Empty Wt. 427.9 #  
Eng 38.4 #  
Load 46.1 #



[illegible]



DATE

REMARKS

Enter here general data with reference to "Line" and "Periodic" inspections — Rigging Changes — Alterations — Repairs — and changes in propeller or engine — as outlined in the front of this book, under the heading, "INSTRUCTIONS FOR USE OF THIS LOG BOOK."  
ALL DATA must bear the endorsement of a certificated mechanic, and his rating and certificate number must be shown.

19

4-15-64 - Tach. 750. v checked all pulleys cables, tires, wheels and brakes. Filled shimmy dampers & hydraulic master cylinders. Checked Battery & Battery box, cleaned voltage regulator points. Repacked wheel bearings. Checked landing gear attachment. Checked control surfaces & skin surfaces. Balance at P1401217



[illegible]



DATE

## REMARKS

Enter here general data with reference to "Line" and "Periodic" inspections — Rigging Changes — Alterations — Repairs — and changes in propeller or engine — as outlined in the front of this book, under the heading, "INSTRUCTIONS FOR USE OF THIS LOG BOOK."  
ALL DATA must bear the endorsement of a certificated mechanic, and his rating and certificate number must be shown.

19

Tach time 750.2

4/15/64

Total time 750.2

I Certify that this aircraft has been  
in accordance with a periodic inspection  
was determined to be in Airworthy Condition.

Useful load 916.1

Date 4/15/64 Total time 750.2 Larry Priebe

CCY 38.4"

Larry Priebe

LA 1475615

Empty Wt 1427.9#



[illegible]

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE



DATE

## REMARKS

Enter here general data with reference to "Line" and "Periodic" inspections — Rigging Changes — Alterations — Repairs — and changes in propeller or engine — as outlined in the front of this book, under the heading, "INSTRUCTIONS FOR USE OF THIS LOG BOOK."  
ALL DATA must bear the endorsement of a certificated mechanic, and his rating and certificate number must be shown.

19

Total time 791.9

Empty wt 1427.9 #

E C 38.4 "

Load 916.1 #

I Certify that this aircraft  
in accordance with a periodic  
was determined to be in Airworthy Condition.  
Date 4/14/68 Total time 791.9 Larry Prib  
I.A. 1475615

Larry Prib

Total time 791.9







DATE

## REMARKS

Enter here general data with reference to "Line" and "Periodic" inspections — Rigging Changes — Alterations — Repairs — and changes in propeller or engine — as outlined in the front of this book, under the heading, "INSTRUCTIONS FOR USE OF THIS LOG BOOK."  
ALL DATA must bear the endorsement of a certificated mechanic, and his rating and certificate number must be shown.

19

25 June 1965 INSTALL MOTOROLA 12-E ADF, P/S, & LOOP ANTENNA.

E.W. 1459.5 EWCG. 39.3 USEFUL LOAD. 890.5  
MOMENT. 57481.0

Gene S. Freeman  
AIP 357467



[illegible]

CARRY FORWARD THE TOTAL ACCUMULATED FLYING TIME TO THE TOP OF NEXT PAGE



DATE

## REMARKS

Enter here general data with reference to "Line" and "Periodic" inspections — Rigging Changes — Alterations — Repairs — and changes in propeller or engine — as outlined in the front of this book, under the heading, "INSTRUCTIONS FOR USE OF THIS LOG BOOK."  
ALL DATA must bear the endorsement of a certificated mechanic, and his rating and certificate number must be shown.

19

5-6-67 Took 881.6 hrs. 100 hrs. inspection completed. Repacked wheel bearings, installed new brake linings, installed new nose gear tire, serviced battery, cleaned voltage regulator points. Filled master brake cylinders & shimmy dampers. Checked landing gear attachment in fuselage. Checked gear axle bolts. Checked skin surfaces and operation of controls.  
Verdan Lease A & P 1401217

Empty wt. 1459.5 lbs.  
E.W.C.G. 39.3 in.  
Useful load 890.5 lbs.  
Moment 57481.0 in. lb.

I CERTIFY THIS (aircraft) HAS BEEN INSPECTED  
IN ACCORDANCE WITH A (annual) INSPECTION AND  
WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION  
DATE 5-6-67 TOTAL TIME 881.6 hrs

VERDAN D. LEASE A & P 1401217

Verdan Lease A & P 1401217



[illegible]