



The Standard

ENGINE LOG

ASA-SE-1

YEAR: 2001 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
11/06	237.6			Change Oil Shell (Aero) 100 8 QTS -
SMDH	872.8			Oil Filter CH 48108 Check & Clean Sereen
T.T.	2794.8			Replace Air cleaner Element
				Run/Burg 364522381
2/2/02	258.5	Tach		Change Oil Shell AeroShell 100 8 QTS ch 48108
				Filter Clean & gap Spark plugs Rotate
				Top To bottom & Left To Right & Vice Versa
				Lube Cable housings - grease Tail wheel
				Comp Test

YEAR: DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
2/13/02				Install Petersen STC *SA 2019CE for
2/12/02				Cessna 170B AT E Hall 55828059 IA
				Install Pelloran STC. *SE 2006CE for
				Continental Engine O-300A AT E Hall 55828059 IA
6/1/02	283.9	TTSN 2850	6 Hrs. TSMOH 918.6 Hrs TSMOH 283.7 Hrs.	
				Drain oil & change filter Refill with AeroShell 100W and
				Filter Champion #48108. Check Compression *1 80/10 *2 80/10
				*3 80/78 *4 80/70 *5 80/76 *6 80/76. Check Mag Tuning +
				Clean & Regrip plugs, Check Harness Replace Air Filter
				AT E Hall
				A#P 558280594

[illegible]

YEAR: 2003 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
CONT				SCHEDULE. COMPRESSION CK. #1-75, #2-76, #3-78 #4-77, #5-78, #6-76/80 ALL NOW THAN 11/06/03-13 CHECKED FOR APPLICABILITY AND COMPLIANCE, ENGINE AND CONTROLS OPERATED THRU FULL RANGE TO ASSESS CONTINUITY AND SMOOTHNESS, PROP VISUAL INSP AND BLADE LEADING EDGES DRESSED AS NEEDED.
				I CERTIFY THAT THIS <u>ENGINE</u> HAS BEEN INSPECTED IN ACCORDANCE WITH A <u>ANNUAL</u> INSPECTION AND WAS DETERMINED TO BE IN <u>17 JUL 03</u> AIRWORTHY CONDITION.
				<u>Thomas L Garcia</u> THOMAS L GARCIA IA 1569132

YEAR: 2003 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
10/2	369.5			Change Motor Oil Aeroshell 100 & Filter Check & Fill Brake Cylinders w/ Brake Fluid Grease Tail Wheel - Check & Fill Tires. Turn Barn 364522381
3/18/04	407.8			Change Motor Oil Aeroshell 100 & Filter CH4808-1 8QTs Turn L. Barn 364522381
21 SEP 04	TOTAL	TIME IN SERVICE	2974.1	TIME SINCE MAJOR OVERHAUL 1052.1 TACH TIME 416.9 ENGINE INSPECTED I AM USING 100 STRIPS SERVICE MANUAL AND BAR 43.13-15 & APPENDIX D CHECK SHEET. OIL/FILTER ON OWNERS SEALS (9 HR). COMPRESSION CK. #1-73, #2-78, #3-78

[illegible]

YEAR: 2008 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
1/30	438.1		2995.3	Change oil Aeroshell 100 8QT Change oil Filter CH 48108
1 FEB 06				TOTAL Time IN SERVICE 3009.0 Time SINCE MAJOR OVERHAUL 1087.0 TACH Time 451.8 ENGINE INSPECTED IAW CENNA 100 SERIES SERVICE MANUAL AND FAR 43.13-15 & APPENDIX D CHECK- SHEET. OIL DRAINED FILTER REPLACED RESERVUO WITH 8QT AEROSHALL 50WT. COMPRESSION CK, #1-72 #2-76, #3-76, #4-78, #5-77, #6-78/80 ALL ADJUSTING ISSU 06-02 CHECKED FOR APPLICABILITY AND COMPLIANCE. ENGINE

YEAR: 2006 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				CNT. AND CONTROLS OPERATED THRU FULL RANGE TO ASSURE
				CONTINUITY AND SMOOTHNESS, FORWARD ENGINE
				BAFFLEING REPAIRS ON REAR MAINS, AS NEEDED,
				ENGINE MAIN ROD TUBES REPAIRED AND PAN BOLTS
				RETURNED TO CONTROL STATIC ENGINE OIL LEAKS.
				I CERTIFY THAT THIS ENGINE HAS BEEN
				INSPECTED IN ACCORDANCE WITH A ANNUAL
				INSPECTION AND WAS DETERMINED TO BE IN
				AWORTHY CONDITION.
				PEB06 Thomas I Garcia
				THOMAS I GARCIA
				IA 1669132

YEAR: 2008 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
23 Oct	06	TACH Time	475.1	L + R MAGS REPLACED
				WITH FRESH OVERHAULD UNITS. LEFT SER#
				G110348 PM 337 KELLY AERUSPACE. RIGHT MAG
				SER# G110346 PM 337 KELLY AERUSPACE (BENDIX
				PM/MOD. 10-51365-39.) PLUGS CLEANED AND
				GAPPED. TACH DRIVE OIL SEAL REPLACED TACH DRIVE
				AND ALTERNATOR GASKET REPLACED, MAGS TIMED
				TO 26° RIGHT 28° LEFT. GROUND RUN NO LEAKS
				DETECTED MAG CK OK. AIRWORTHY AT THIS TIME
				J. D. AP1569132

YEAR: 2007	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
DATE				
1 MAY 07				TOTAL TIME IN SERVICE 3057.3 TIME SINCE 1135.3 TACH TIME 500.1 ENGINE INSPECTED IAW CESSNA 100 SERIES SERVICE MANUAL AND FAR 43.13-15 AND APPENDIX D CHECK SHEET. OIL DRAINED FILTER REPLACED AND RESEALICED WITH 8 QT ACROSHELL 50 WT. COMPRESSION CK, #1-76, #2-76, #3-78, #4-77, #5-78, #6-78/80 ALL VALVE TRAINS 07-09 CHECKED FOR APPLICABILITY AND COMPLIANCE. PROVIDED VISUAL INSPECTION & BLEED LEADING COCKS DRAINED AT NECESSARY. ENGINE AND CONTROLS OPERATED THROUGH FULL RANGE TO ASSESS CONTINUITY AND SMOOTHNESS.
				I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A FAR 43.13-15 INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.
				1 MAY 07 Thomas L Garcia THOMAS L GARCIA IA 1569132

YEAR: <u>2008</u> DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
12/20/8	535.0		3092	Change oil 8 qts AeroShell 100 - Ch 48108 Linn Bury
10 APR 08				TOTAL TIME IN SERVICE 3113.5 TIME SINCE MAJOR OVERHAUL 1191.5 TACH TIME 556.3 ENGINE INSPECTION 1AW CENNA 100 SERIES SERVICE MANUAL AND FIG 4B.13-15 & APPENDIX D CHECK SHEET. OIL ON WIND FILTER REPLACED & RESERVOIR WITH 8 QT AEROSHELL 50 WT. COMPRESSION CK. #1-74, #2-74 (AFTER HAN FOR LEAKING) #3-76, #4-74, #5-76, #6-76/80 ALL ADJ THRU ISSUE 08-05 CHECKED FOR APPLICABILITY AND COMPLIANCE. PROP VISUAL INSP AND BLADE

CUNT.

YEAR: 2008 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
CNT.				LEADING EDGES OILED AS NEEDED. ENGINE AND CONTROLS OPERATED THRU FULL RANGE TO ADJUST CONTROLS AND SMOOTHNESS. #2 CYL REMOVED FOR AIR LEAK. SERVICABLE #015 CYL REWORKED BY J. L. MUDS RICH (AIR) W/O. #452008 WITH AIRCRAFT RECORDS NEW STAIN & GASKET WORK IAW TCM OVERHAUL MANUAL ENGINE OPERATIONAL OK OK, & NO OIL LEAKS AT THIS TIME.
				<p> CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A MANUAL INSPECTION AND WAS DETERMINED TO BE IN SOUND CONDITION. </p> <p> APR 08 THOMAS L. BARKER IA 1369132 8213 </p>
4/10/8	557.3			Change oil Shell 50W (Aeroshell 100) Champion 48108 Filter

YEAR: 2008 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE ENGINE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
5-23-08	581.1			DRAINED OIL REPLENISHED WITH 7 QTS ARROSHALL 15-50 ↓ CHAMP. 48108 RECTEN, REPLACED TAIL WIRE TIRE ↓ TUBE - 2.8/2.5 X 4.0 OIL T.M. & OIL PRESTON
7-7-08	594.7		3156.9	REPAIR BROKEN P-LEAD RIGHT MAG.
			TTE 3151.9	REPAIR PRIMER LEAK. REPLACED SPARK PLUGS
7-17-08	599.2		1234.4 5MOH	ADJUSTED TIMING. ALLEN SCOTT A&P MECHANIC
			3156.4 TTE	GRANT SCOTT AVIATION, SOUTH HAVEN, MI
8-17-08	606.4		3163.6 1241.6	TTE TSMOH CHANGED OIL & FILTER

YEAR:	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations <small>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)</small>
DATE				
	ENGINE			
APRIL 10, 2009		TAC 624.5	TTS MOH ^{1259.8} 1703.5	ANNUAL
COMPLIED WITH AN ANNUAL INSPECTION . CHANGED OIL AND FILTER. SERVICE WITH 8 QTS AEROSHELL 15W50. DRAINED CARB. AND CLEANED FUEL SCREEN. #1 68/ #2 74/ #3 77/ #4 77/ #5 76/ #6 72 . PRESSURE CHECKED EXHAUST SYSTEM.TIGHTEN INDUTION CLAMPS. RAN AND LEAK CHECKED. I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTION AN WAS DETERMANED TO BE IN AIRWORTHY CONDITION.				
IA # 2103510. LAWRENCE PALLAS <i>Lawrence Pallas</i>				